

















Texas Oral Health Report Card



TxOHC envisions a state where every person is known to enjoy optimal oral health as part of his/her total well-being through individual and shared community responsibilities. The Coalition has the partnerships and commitment to collaborate with others to create innovative and viable solutions that address oral health inequities. Texas may have earned a C+ when compared to the nation's performance on 12 key oral health indicators, but working together we can improve our grade and realize a healthier Texas.

| | | | |
|---|---|---|---|
| <p>55% A</p> <p>Children aged 1-2 enrolled in Medicaid receive a preventive care visit through Medicaid</p>  | <p>78% C</p> <p>Children who have received at least one preventive dental visit in the last year</p>  | <p>57% A</p> <p>Medicaid enrolled children ages 1-20 received preventive dental care through Medicaid</p>  | <p>67% D</p> <p>Two out of every three Third Graders have experienced tooth decay</p>  |
| <p>51% A</p> <p>One half of third Graders have dental sealants in permanent molars</p>  | <p>43% F</p> <p>Four out of ten children age 3-5 who have experienced tooth decay</p>  | <p>20% A</p> <p>Two out of ten children aged 6-14 enrolled in Medicaid received dental sealants on permanent teeth through Medicaid</p>  | <p>4% I</p> <p>Medicaid pediatric medical providers applying fluoride varnish</p>  |
| <p>29% F</p> <p>Pregnant women who had their teeth cleaned during pregnancy</p>  | <p>58% D</p> <p>Adults age 18-64 visited the dentist in the last year</p>  | <p>12% B</p> <p>Adults 65+ suffering from edentulism</p>  | <p>79% C</p> <p>Population drinking optimally fluoridated water (natural or adjusted)</p>  |
| <p>61% A</p> <p>Needs are met in six out of ten DHPA areas</p>  | <div data-bbox="1541 1289 1982 1511" data-label="Page-Footer">  <p>TxOHC TEXAS ORAL HEALTH COALITION www.txohc.org</p> </div> | | |

| Grade | Points | Criteria |
|-------|--------|-------------------------------|
| A | 4 | 20% ≤ better than national |
| B | 3 | 10 –20% better than national |
| C | 2 | 0 to 10% change from national |
| D | 1 | 10-20% worse than national |
| F | 0 | 20% ≤ worse than national |

| Indicator | Desired Trend | TX % | US% | % Difference | Points | Grade |
|---|---------------|------|------|--------------|------------|-----------|
| 1) Children ages 1-2 enrolled in Medicaid who received a preventive care visit through Medicaid | ↑ | 54.9 | 21.1 | 89 | 4 | A |
| 2) Children ages 1-17 who have received one or more preventive dental visit in the last year | ↑ | 77.8 | 77.2 | .77 | 2 | C |
| 3) Children ages 1-20 enrolled in Medicaid who received preventive dental care through Medicaid | ↑ | 56.7 | 40.9 | 32.4 | 4 | A |
| 4) Third Grade students with Caries Experience (treated and untreated tooth decay)* | ↓ | 66.8 | 57.7 | -14.6 | 1 | D |
| 5) Third Graders who have dental sealants in permanent molars | ↑ | 51 | 37.6 | 30.3 | 4 | A |
| 6) Children ages 3-5 with Caries Experience (treated and untreated tooth decay) | ↓ | 42.9 | 27.9 | -42.4 | 0 | F |
| 7) Children ages 6-14 enrolled in Medicaid who received dental sealants on permanent teeth through Medicaid | ↑ | 19.5 | 14.3 | 30.8 | 4 | A |
| 8) Medicaid providers applying fluoride varnish | ↑ | 4.34 | — | — | — | I* |
| 9) Pregnant women who had their teeth cleaned during pregnancy | ↑ | 28.7 | 37.8 | -27.4 | 0 | F |
| 10) Adults who visited the dentist aged 18-64 within the last year* | ↑ | 58.2 | 65.3 | -11.5 | 1 | D |
| 11) Adults 65+ who have lost all of their natural teeth due to tooth decay or gum disease* | ↓ | 12.3 | 14.9 | 19.1 | 3 | B |
| 12) Population drinking optimally fluoridated water (natural or adjusted) | ↑ | 79 | 74.4 | 5.1 | 2 | C |
| 13) Needs met in Dental Health Provider Shortage Areas (DHPSA) | ↑ | 61.1 | 38.4 | 45.6 | 4 | A |
| US COMPARISON | | | | | 2.4 | C+ |

* Please see next page for technical notes/comments/disclaimers for specific indicators.

Information provided by the Texas Oral Health Coalition, Inc. _ April 6, 2017

Technical Notes

In June of 2015, TxOHC published a brief Texas Report Card, collating data and “grades” from existing studies and national report cards. For 2017, TxOHC wanted to create a more comprehensive Oral Health Report Card which looks at key areas of oral health in Texas and compares Texas’ oral health to the nations.

The 13 indicators were chosen based on the following characteristics:

- Is the data available recent,
- does the indicator show change over time,
- will the indicators increase awareness of the importance of oral health,
- is the indicator meaningful for advocacy and education efforts,
- does the data examine demographic characteristics (such as age, race/ethnicity, income, or education);
- is the indicator tracked at the national level as well as the state level for comparison.

The data percentages were turned into number/letter scores by comparing the Texas data to national data. This national comparison grade was determined using the percentage difference between the Texas and US data percentage. The following percentage difference formula was used to calculate the relative difference between Texas’ percentages and the national percentages:

$$\frac{(\text{Current Texas percentage} - \text{National percentage})}{(\text{Current Texas percentage} + \text{National percentage})} \times 100 = \text{Percent difference of Texas from National}$$

The percentage difference was then converted into a numerical point value and then converted to a simplified letter grade using table 1. The points for all 13 indicators were then averaged to create a total point value for Texas. That point total was placed on the 4.0 scale scene in table 2 to convert the point total to letter grade.

| Grade | Points | Criteria |
|-------|--------|-------------------------------|
| A | 4 | 20% ≤ better than national |
| B | 3 | 10 –20% better than national |
| C | 2 | 0 to 10% change from national |
| D | 1 | 10-20% worse than national |
| F | 0 | 20% ≤ worse than national |

| Letter Grade | 4.0 Scale |
|--------------|-----------|
| A+ | 4.0 |
| A | 4.0 |
| A- | 3.7 |
| B+ | 3.3 |
| B | 3.0 |
| B- | 2.7 |
| C+ | 2.3 |
| C | 2.0 |
| C- | 1.7 |
| D+ | 1.3 |
| D | 1.0 |
| D- | 0.7 |
| F | 0.0 |

Additional Comments/Disclaimers for the Following Indicators:

- * The statistic for indicator 4 includes all third graders, both with and without dental insurance who have had treated and/or untreated dental decay at the time of the survey. Please note the BSS data from the CDC State Oral Health Survey is from 2012-2013, the most recent year published.
- * No national level data is available for indicator 8, so the grade is Incomplete (I).
- * For indicators 10 and 11, crude data is used for both the state and national percentages as age adjusted data is not available on the national level. Crude data has limitations and the population might have unequal age, race/ethnicity, or gender distributions which might account for the differences in the crude rates, (i.e.; confounders have not been adjusted for). The crude rate/prevalence for the nation is not exact and is only the median prevalence for reporting states. Though age-adjusted is more accurate, crude and age-adjusted data is not an accurate state to national comparison.

Sources

1. Texas Source: Centers for Medicare and Medicaid Services Annual EPSDT Participation Report—Form CMS 416 (State), Fiscal Year 2015. [retrieved [12/6/2016]
US Source: Centers for Medicare and Medicaid Services Annual EPSDT Participation Report—Form CMS 416 (National), Fiscal Year 2015. [retrieved [12/7/2016]
2. Texas Source: National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. [retrieved [2/20/2017] from www.childhealthdata.org.
US Source: National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. [retrieved [2/20/2017] from www.childhealthdata.org.
3. Texas Source: Centers for Medicare and Medicaid Services Annual EPSDT Participation Report—Form CMS 416 (State), Fiscal Year 2015. [retrieved [12/6/2016]
US Source: Centers for Medicare and Medicaid Services Annual EPSDT Participation Report—Form CMS 416 (National), Fiscal Year 2015. [retrieved [12/7/2016]
4. Texas Source: CDC State Oral Health Survey. "Percentage of students with Caries Experience (treated or untreated tooth decay), Breakdown Grade: Third Grade for 2012-2013." [retrieved [12/12/2016]
URL: https://nccd.cdc.gov/oralhealthdata/rdPage.aspx?rdReport=DOH_DATA.ExploreByTopic&isTopic=&isYear.
US Source: Healthy People 2020 OH-1.2: Reduce the proportion of children aged 6 to 9 years with dental caries experience in their primary and permanent teeth. [retrieved [12/12/2016] <https://www.healthypeople.gov/2020/data-search/Search-the-Data#objid=4993>;
5. Texas Source: CDC State Oral Health Survey. "Percentage of students with dental sealants on at least one permanent molar tooth, Breakdown Grade: Third Grade for 2012-2013." [retrieved [12/12/2016] URL: https://nccd.cdc.gov/oralhealthdata/rdPage.aspx?rdReport=DOH_DATA.ExploreByTopic&isTopic=&isYear.
US Source: Healthy People 2020 OH-12.2 Increase the proportion of children aged 6 to 9 years who have received dental sealants on one or more of their permanent first molar teeth [retrieved [12/12/2016] <https://www.healthypeople.gov/2020/data-search/Search-the-Data#objid=5001>;
6. Texas Source: CDC State Oral Health Survey. Percentage of students with Caries Experience (treated or untreated tooth decay), Breakdown Grade: Head Start. [retrieved [2/20/2017] https://nccd.cdc.gov/oralhealthdata/rdPage.aspx?rdReport=DOH_DATA.ExploreByTopic&isTopic=&isYear.
US Source: Healthy People 2020 OH-1.1: Reduce the proportion of children aged 3 to 5 years with dental caries experience in their primary teeth. [retrieved [2/20/2017] <https://www.healthypeople.gov/2020/data/Chart/4992?category=1&by=Total&fips=-1>
7. Texas Source: Centers for Medicare and Medicaid Services Annual EPSDT Participation Report—Form CMS 416 (State), Fiscal Year 2015. [retrieved [12/6/2016]
US Source: Centers for Medicare and Medicaid Services Annual EPSDT Participation Report—Form CMS 416 (National), Fiscal Year 2015. [retrieved [12/7/2016]
8. Texas Source: AHQP Claims Universe, TMHP; Enc_Best Picture Universe, TMHP; Texas Medicaid Provider Database, HHSC. Prepared by Center for Analytics and Decision Support, Texas Health and Human Services Commission, January 2017 (vp).
9. Texas Source: Centers for Disease Control and Prevention, PRAMStat, [online]. 2010. [retrieved 11/30/2016] URL: https://nccd.cdc.gov/PRAMStat/rdPage.aspx?rdReport=DRH_PRAMS.ExploreByState&isLocationAbbr=TX.
US Source: Centers for Disease Control and Prevention, PRAMStat, [online]. 2010. [retrieved 11/30/2016] URL: (https://nccd.cdc.gov/PRAMStat/rdPage.aspx?rdReport=DRH_PRAMS.ExploreByTopic&isClassId=CLA9&isTopicId=TOP33&go=GO)
10. Texas Source: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Population Health. BRFSS Prevalence & Trends Data [online]. 2015. [retrieved 3/10/2017].URL: <https://www.cdc.gov/brfss/brfssprevalence/>.
US Source: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Population Health. BRFSS Prevalence & Trends Data [online]. 2015. [retrieved 2/20/2017].URL: <https://www.cdc.gov/brfss/brfssprevalence/>.
11. Texas Source: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Population Health. BRFSS Prevalence & Trends Data [online]. 2015. [retrieved 3/10/2017].URL: <https://www.cdc.gov/brfss/brfssprevalence/>.
US Source: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Population Health. BRFSS Prevalence & Trends Data [online]. 2015. [retrieved 2/20/2017].URL: https://nccd.cdc.gov/oralhealthdata/rdPage.aspx?rdReport=DOH_DATA.ExploreByTopic&isTopic=&isYear
12. CDC Water Fluoridation Reporting System (WFRS). Percent of population served by CWS that are receiving fluoridated water [online]. 2014. [[retrieved 2/20/2017]. URL: https://nccd.cdc.gov/oralhealthdata/rdPage.aspx?rdReport=DOH_DATA.ExploreByTopic&isTopic=WFR&isYear=2014&go=GO
13. Bureau of Health Workforce Health Resources and Services Administration (HRSA) U.S. Department of Health & Human Services. *Designated Health Professional Shortage Areas Statistics as of January 1, 2017*. [retrieved 2/20/2017] URL: <https://datawarehouse.hrsa.gov/Tools/HDWReports/Reports.aspx>